

Siemens PLM Software 技術技巧及新聞

歡迎流覽《Siemens PLM Software 技術技巧及新聞》，希望它能成為 Siemens PLM Software 技術支援團隊將 Siemens PLM Software 最新產品更新、技術技巧及新聞傳遞給用戶的一種途徑


Date: 2017/01/06

NX Tips


1. NX11 版本中的“Version up”功能

使用 Version Up  命令，可以把任意或者所有需要更新的老版本製圖資訊，更新到當前版本，例如線寬，符號等。

在 NX10 版本，這個命令可以在 Drafting preference 中找到。



在 NX11 版本，這個功能需要通過選擇 menu à tools à Version Up 來找到和執行。



2. NX11 的 document 安裝後, NX10 版本幫助的搜索功能不能使用了?

問題/症狀

NX11 的 document 安裝後, NX11 的幫助文檔能夠正常搜索, 但是 NX10 版本幫助的搜索功能不能正常使用了, 即使刪除/重裝 NX10 的幫助文檔也不能解決問題, 如何解決這個問題?

解決方法

您需要重新索引一下 NX10 的 HTML 檔, 使用批次處理工具: "deploySolrIndex.bat", 缺省情況下在這個安裝目錄: C:\Program Files\Siemens\PLM Documentation Server\Solr_updates 更加詳細的情況請參看 NX11 的安裝檔:webserver020_install.pdf 中的如下部分:

Setting up a new Siemens PLM documentation collection

Each Siemens product delivers its own documentation content installation package. These installations share the same **content.root** directory as defined in the **plm_helpserver.properties** file, so they must be installed to the same directory. They also share the same Solr core directory for documentation searches. Each new collection installs new Solr indexes as **<content>.zip**. These content installs will automatically upload their Solr search indices as part of the installation.

If it becomes necessary to manually upload the Solr search indices to your server, this can be done using the script **deploySolrIndex.bat** located in:

C:\Program Files\Siemens\PLM Documentation Server\solr_updates

The script calls the Java program **xpsSolr.jar**, which is also in the **solr_updates** directory. This must be run on the system where the Siemens PLM Solr Server is running.

The script **deploySolrIndex.bat** takes two mandatory arguments:

1. The .zip file to upload, for example: **nx11-nx_help-en_US.zip**
2. The URL for the Siemens PLM Solr Server, for example: <http://localhost:8283/solr>

You must run the script in the directory that contains the **xpsSolr.jar** and the solr .zip files.
For example:

C:\Program Files\Siemens\PLM Documentation Server\solr_updates

Example:

To upload the Solr search indexes for the NX 11 English documentation to a local server on port 8283 the commands would be:

```
cd C:\Program Files\Siemens\PLM Documentation Server\solr_updates
deploySolrIndex nx11-release_notes-en_US.zip http://localhost:8283/solr
deploySolrIndex nx11-nx_help-en_US.zip http://localhost:8283/solr
```


請注意:

如果安裝後測試還是有問題, 請重新啟動一下 "Siemens PLM Documentation Server" 服務和 "Siemens PLM Solr Server" 服務。

Teamcenter Tips

3. 創建基線時自動簽出/簽入遠端零組件.


在多網站協同工作模式下，您可能需要簽出遠端的零元件物件用來創建基線。預設情況下，即使配置了遠端簽出選項，但在創建基線的時候，遠端零元件物件不會被自動簽出。



```

+000022/A;1-component (View)
                                Validated
-000023/A;1-remote_part
                                48020 Item is not modifiable
                                ERROR
-USER_baseline_dryrun_validator()
                                Validated
  
```

為了能自動簽出簽入遠端零元件物件，需要設置首選項
Baseline_auto_remote_checkout_allowed=ON



提示：遠端網站可以不設置該首選項

Greater China

ME&S Service Team

PRC Helpdesk (Mandarin): 800-810-1970

Taiwan Helpdesk (Mandarin): 00801-86-1970

HK Helpdesk (Cantonese): 852-2230-3322

Global Technical Access Center: <http://www.siemens.com/gtac>

Siemens PLM Software Web Site: <http://www.plm.automation.siemens.com>

Siemens PLM Software (China) Web Site: http://www.plm.automation.siemens.com/zh_cn/

此e-mail newsletter 僅提供給享有產品支援與維護的Siemens PLM 軟體使用者。當您發現問題或希望棄訂，請發送郵件至 helpdesk.cn.plm@siemens.com 聯繫，如棄訂，請在標題列中注明“棄訂”